



PCT/GB 0703045

REC'D 2	JG 2000
W/	PCT

INVESTOR IN PEOPLE

GB 00/03045

**PRIORITY DOCUMENT**  
SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)

4


The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.




Signed *AmBrewer.*  
Dated 1 June 2000

BEST AVAILABLE COPY

**This Page Blank (uspto)**

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



26 AUG 1999 The Patent Office

Cardiff Road  
Newport  
Gwent NP9 1RH

1. Your reference 99.LMILG

2. Patent application number 9920098.2  
(The Patent Office will fill in this part)

3. Full name, address and postcode of the or of each applicant (underline all surnames) SMITHS INDUSTRIES PUBLIC LIMITED COMPANY  
765 FINCHLEY ROAD  
LONDON  
NW11 8DS

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation GB

725705002

4. Title of the invention MEDICO-SURGICAL APPARATUS

5. Name of your agent (if you have one) J. M. FLINT

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode) 765 FINCHLEY ROAD  
LONDON  
NW11 8DS

Patents ADP number (if you know it)

106322002

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of filing (day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application	Date of filing (day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

- a) any applicant named in part 3 is not an inventor, or
  - b) there is an inventor who is not named as an applicant, or
  - c) any named applicant is a corporate body.
- See note (d))

YES

# Patents Form 1/77

9. Enter the number of sheets of any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 6 /

Claim(s)

Abstract

Drawing(s) 3+3 /

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

J. M. Flint

Date 25/08/99

12. Name and daytime telephone number of person to contact in the United Kingdom

J. M. FLINT

020 8457 8220

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

## MEDICO-SURGICAL APPARATUS

This invention relates to medico-surgical apparatus such as laryngeal masks and cuffed medico-surgical tubes.

Laryngeal mask airways are used to ventilate and to supply anaesthetic gas to a patient during surgery. Laryngeal mask airways differ from endotracheal tubes, which extend into the trachea and terminate beyond the vocal folds. By contrast, laryngeal mask airways have a tubular shaft opening into the centre of a generally elliptical mask or cuff, which is inflated to seal in the region of the hypopharynx, at the top of the trachea. The cuff is inflated with air supplied along a small-bore inflation line communicating with the interior of the cuff. The inflation line is not usually attached with the tubular shaft, which can be an inconvenience because it complicates packing and use of the airway. Laryngeal masks are described in, for example: US 5355879, US 5305743, US 5297547, US 5282464, GB 2267034, US 5249571, US 5241956, US 5303697, GB 2317830, GB 2249959, GB 2111394, EP 448878, US 4995388, GB 2205499, GB 2128561, GB 2298797, GB 2321854, GB 9900596, GB 2323289, GB 2323290, GB 2318735 and GB 2330312.

A problem generally with cuffed medico-surgical tubes, such as laryngeal masks and tracheal tubes is that the users often wish to cut the machine end of the shaft of the tube to length in order not to have an excessive length of tube protruding from the mouth or nose. In tubes having an inflation line attached to the main shaft, the presence of the inflation line limits the extent to which the tube can be cut to length.

It is an object of the present invention to provide alternative medico-surgical apparatus.

According to one aspect of the present invention there is provided a laryngeal mask airway including a tubular shaft with a channel extending along its external surface; a mask portion mounted at the patient end of the shaft, the mask portion having a mount member mounted on the shaft and an inflatable cuff mounted on the mount member such that the cuff can be inflated to seal with surrounding tissue, the mount member having a channel extending between the cuff and the channel on the shaft; and an inflation line extending within the channel along the shaft and within the channel in the mount member to communicate with the interior of the cuff.

According to another aspect of the present invention there is provided a medico-surgical tube having a main tubular shaft having a main lumen and a small-bore minor lumen extending along the wall of the main shaft, the minor lumen being provided at least in part by a small diameter tube attached along a part of its length with the main shaft in a manner such that it can be detached from the tube to reduce the length of tube attached with the shaft.

The small diameter tube preferably extends in a channel along the outside of the main shaft, the channel being shaped such as mechanically to retain the small diameter tube whilst allowing the tube to be pulled away from the channel. Alternatively, the small diameter tube may be held with the main shaft by means of a rupturable bond. The medico-surgical tube is preferably a cuffed tube, such as a tracheal tube or laryngeal mask, and the minor lumen preferably opens into the cuff.

A laryngeal mask airway according to the present invention, will now be described, by way of example, with reference to the accompanying drawings, in which:

Figure 1 is a perspective view of the airway;

Figure 2 is a sectional side elevation view of the airway;

Figure 3 is a transverse section across the airway along the line III-III of Figure 2 to an enlarged scale;

Figure 4 is a view of the airway from below; and

Figure 5 is a sectional side elevation view of an alternative airway.

With reference to Figures 1 to 4, the airway includes a curved tubular shaft 1 of a bendable plastics material having a channel 2 in the form of a groove extending along its length on its outside surface and on the inside of its curve. The shaft 1 is preferably made by extrusion and may be reinforced by means of an embedded helical element, such as of metal or plastics. At its patient end 3, the shaft 7 is attached to a mask portion 5.

The mask portion 5 comprises a mount member 50 of a relatively stiff but compliant plastics material and an inflatable cuff 60 attached to the mount member. The mount member 50 has a tubular collar 51 within which the forward, patient end 3 of the shaft 1 is joined. The

collar 51 joins with the main part 52 of the mount member 50, which flares outwardly into a bell shape with a forward, patient end surface 53 of oval or elliptical shape inclined at an angle of about  $30^{\circ}$  to the axis of the collar. The mount member 50 is open at its forward end communicating with the bore 10 of the shaft 1 via a domed atrium 54. A channel 55 in the form of a groove extends along the inside of the mount member 50 in line with the groove 2 along the shaft 1 and this opens through a hole 56 into the cuff 60.

The cuff 60 may be of any conventional form, such as described in GB 2323291 or GB 2321854. The cuff 60 is only shown schematically in the drawings but is of annular, elliptical shape, being attached to the forward end surface 53 of the mount member 50. The cuff 60 is of a thin, flexible plastics material so that it can be deflated to a low profile for insertion and can be inflated to seal with surrounding tissue when correctly positioned.

The airway also includes an inflation line 70 in the form of a small-diameter flexible plastics tube extending along the groove 2 in the shaft 1, with the patient end of the tube extending along the groove 55 in the mount member 50 and projecting through the hole 56 into the cuff 60. The cuff 60 is sealed with the outside of the inflation line 70 so that it opens into the interior of the cuff. The rear, machine end of the inflation line 70 is attached to a combined inflation indicator balloon and connector 71 of conventional kind. The groove 2 in section forms the major part of a circle, so that the inflation line 70 is retained in the groove mechanically, although it is preferably also bonded into the groove close to the patient end of the shaft 1, such as by means of a solvent or adhesive. A number of lateral notches 20 are spaced from one another along the machine end of the groove 2. The size of the notches 20 is such as to allow the inflation line 70 to extend out of the groove 2 through a notch. The



airway is supplied with the inflation line 70 extending out of the groove 2 through the notch 20 closest to the machine end of the shaft 1. If the user wishes to cut the shaft 1 shorter, at a location forwardly of where the inflation line 70 extends from the shaft, he simply pulls the inflation line away from the shaft so that it peels out of the groove 2 to the next notch 20, or to any other notch, thereby reducing the length of the inflation line attached with the shaft. In this way, the inflation line 70 is kept neatly with the shaft along most of the length of the shaft 1 but the shaft can be cut to any desired length. There are other ways in which the inflation line could be attached with the shaft, such as by means of a rupturable adhesive or other bond. It will be appreciated that this form of peelable attachment of a small-bore line could have applications in other tubes having a minor lumen and where it is desirable to be able to alter the length of the small-bore line attached with the main shaft, such as endotracheal tubes.

Securing the inflation line 70 to the shaft 1 along most of its length avoids any loose tube within the patient's mouth and ensures that the inflation indicator and connector 71 are readily accessible outside the mouth. Reliable assembly of the airway is facilitated by this arrangement compared with alternative arrangements employing an extruded small-bore lumen within the wall of the shaft since, in such arrangements, connection needs to be made to both ends of the bore. The present invention can also be used with shafts that are reinforced.


It is not essential that the channel in the mount member extend along its inner surface; it could extend along an outer surface, as shown in Figure 5, where similar features to those in Figures 1 to 4 are given the same numbers with the addition of a prime '. In this

arrangement, the groove 55' extends along the outside of the mount member 50' so that the inflation line 70' can run along the groove and open into the cuff 60'.



[Y:\PATENTS\SPEC\99\lmlg.doc]

**This Page Blank (uspto)**

FIG. 1



**This Page Blank (uspto)**



**This Page Blank (uspto)**




FIG. 3




FIG. 3

**- 7 AUG 2000**

**This Page Blank (uspto)**



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☒ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**This Page Blank (uspto)**